

AD-A185 022


NUCLEOPHILIC DISPLACEMENT REACTIONS OF
4-SUBSTITUTED-12-DINITROBENZENES M. (U) PRAIRIE VIEW A
AND M UNIV TX DEPT OF CHEMISTRY L L COLE ET AL.
29 AUG 87 ARO-20100. 2-CH-H DAAG29-83-G-0023 F/G 7/3

1/1

UNCLASSIFIED

NL





MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD-A185 022

REPORT DOCUMENTATION PAGE

2

2a. SECURITY CLASSIFICATION AUTHORITY

2b. DECLASSIFICATION / DOWNGRADING

4. PERFORMING ORGANIZATION REPORT NUMBER

6a. NAME OF PERFORMING ORGANIZATION
Prairie View A&M University
Department of Chemistry6b. OFFICE SYMBOL
(If applicable)

6c. ADDRESS (City, State, and ZIP Code)

P.O. Drawer 155
Prairie View, Texas 774468a. NAME OF FUNDING / SPONSORING
ORGANIZATION

U. S. Army Research Office

8b. OFFICE SYMBOL
(If applicable)

8c. ADDRESS (City, State, and ZIP Code)

P. O. Box 12211
Research Triangle Park, NC 27709-2211

1b. RESTRICTIVE MARKINGS

3. DISTRIBUTION / AVAILABILITY OF REPORT

Approved for public release;
distribution unlimited.

5. MONITORING ORGANIZATION REPORT NUMBER(S)

ARO 20188.2-CN-H

7a. NAME OF MONITORING ORGANIZATION

U. S. Army Research Office

7b. ADDRESS (City, State, and ZIP Code)

P. O. Box 12211
Research Triangle Park, NC 27709-2211

9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER

DAA6-29-83-6-0023

10. SOURCE OF FUNDING NUMBERS

PROGRAM
ELEMENT NOPROJECT
NOTASK
NOWORK UNIT
ACCESSION NO

11. TITLE (Include Security Classification)

NUCLEOPHILIC DISPLACEMENT REACTIONS OF 4-SUBSTITUTED-1,2-DINITROBENZENES WITH TRIALKYL
PHOSPHITES

12. PERSONAL AUTHOR(S)

Cole, Larry, Lee, and Williams, John, R.

13a. TYPE OF REPORT

Final

13b. TIME COVERED

FROM 83-4-18 TO 87-5-31

14. DATE OF REPORT (Year, Month, Day)

1987, August, 29th

15. PAGE COUNT

16. SUPPLEMENTARY NOTATION

The view, opinions and/or findings contained in this report are those
of the author(s) and should not be construed as an official Department of the Army position,
policy, or decision, unless so designated by other documentation.

COSATI CODES

18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)

FIELD





GROUP

SUB-GROUP

19. ABSTRACT (Continue on reverse if necessary and identify by block number)

We wish to report the results of studies on the reactions of five different dinitro-compounds with triethylphosphite in the solvent acetonitrile at 3 different temperatures. Therefore, kinetic data has been determined for the reaction of triethylphosphite with 1,2-dinitro-4-chlorobenzene, 1,2-dinitro-4-methylbenzene, 1,2-dinitro-4-methoxybenzene, 1,2-dinitro-4-benzonitrile, and with 1,2,4-trinitrobenzene at 40°, 50°, and 63°C. The products in these reactions are the corresponding diethyl-4-substituted-1- or -2-nitro-phenyl phosphonate esters, II and III (fig. 1). The reactant in figure 1 is the 1,2-dinitro-4-chlorobenzene (I).

fig. 1



(continue)---

20. DISTRIBUTION / AVAILABILITY OF ABSTRACT

☐ UNCLASSIFIED/UNLIMITED☐ SAME AS RPT☐ DTIC USERS

21. ABSTRACT SECURITY CLASSIFICATION

Unclassified

22a. NAME OF RESPONSIBLE INDIVIDUAL

22b. TELEPHONE (Include Area Code)

22c. OFFICE SYMBOL

The results of our investigation are summarised in the following observations;

1. The order of reactivity for this series of 1,2-dinitro-4-substituted benzenes was shown to be $-\text{NO}_2 > -\text{CN} > -\text{Cl} > -\text{Me} > -\text{OMe}$. Kinetic data for those reactants with COOH and C(OMe)_2 in the 4 position are't reported due to possible reactivity between the substituent group and the solvent.
2. Reactants with electron with-drawing groups (NO_2 , CN , Cl) in the 4 position gave almost 100% yield the product II, i.e., phosphorus substitution at the 1 position. Reactants with electron donating groups (OMe , Me ,) in the 4 position gave a mixture of both phosphate esters (II and III), but with III as the major product. The isomers II and III were resolved and quantitatively determined by g.c.- m.s. analysis.
3. Arrhenius activation energy (E_a), enthalpy of activation (ΔH^\ddagger), and entropy of activation (ΔS^\ddagger) have been calculated for each of the reactions. Arrhenius activation parameters represent values for phosphorus substitution at the 1 position of each reactant. Arrhenius activation parameters are given in Table 1;


Table 1

Activations Enthalpies, Entropies, and Energies for Phosphorus Displacement of a Nitro Group at Position 1

Substituent at position 4	E_a (kcal/mol)	ΔS^\ddagger (eu)	ΔG^\ddagger (kcal/mol)
a. CH_3	19.60	-16.43	23.61
b. O-CH_3	18.84	-18.09	24.14
c. Cl	14.80	-30.84	23.04
d. CN	9.50	-28.01	19.01
e. NO_2	5.23	-31.00	14.31

4. The rate data does give a negative Hammett plot with the appropriate sigma values. Therefore the mechanism is pure nucleophilic aromatic substitution even with electron donating groups in position 4 (para). The conclusion is that phosphorus will attack the aromatic ring to remove a nitro group only if an adjacent nitro group is present (ortho). Phosphorus will reduce an aromatic nitro group if an adjacent nitro group is not present. While the presence of electron donating groups tends to increase the rate of the reduction reaction of mononitro-aromatics, they have no effect in promoting reduction with 1,2-dinitro-aromatics. The reduction reaction is shown in figure 2, below.

fig. 2



QUALITY
INSPECTED
2

END

11-87

DTIC